

AMENDMENTS TO THE CLAIMS

In accordance with 37 C.F.R. §1.121(c), please amend the claims as indicated in marked-up form below, where additions are underlined, deletions are struck through, and new claims are presented without markings.

Claim 1. (Currently Amended) An attachment apparatus for attaching a first device to a second device, the attachment apparatus comprising:

a cradle comprising:

a major surface;

a first sidewall coupled to the major surface;

a second sidewall coupled to the major surface opposite the first sidewall; and

a hole in the major surface; and

a suction cup coupled to the cradle at the ~~hole~~: hole,

wherein:

the suction cup comprises:

a suction pad; and

a knob attached to the suction pad; and

the knob comprises:

a primary portion; and

a secondary portion extending from the primary portion.

Claim 2. (Currently Amended) The attachment apparatus of claim 1 wherein:

~~the suction cup comprises:~~

~~a suction pad;~~

the suction cup further comprises a release tab located at an edge of the suction pad; and

the primary portion has a depression therein.

~~a knob attached to the suction pad; and~~

~~the knob comprises:~~

~~a primary portion having a depression therein; and~~

~~a secondary portion extending from the primary portion.~~

Claim 3. (Original) The attachment apparatus of claim 2 wherein:

the hole comprises:

a primary opening; and

a secondary opening coupled to the primary opening.

Claim 4. (Original) The attachment apparatus of claim 1 wherein the cradle further comprises:

a pad protruding from the major surface.

Claim 5. (Original) The attachment apparatus of claim 1 wherein:

the first device is a battery pack.

Claim 6. (Original) The attachment apparatus of claim 5 wherein:

the battery pack comprises:

a battery module comprising:
a battery compartment; and
an on/off switch; and
a cover enclosing the battery compartment and removably attached to the battery module.

Claim 7. (Original) The attachment apparatus of claim 6 wherein:

the battery module further comprises a charge indicator.

Claim 8. (Original) The attachment apparatus of claim 6 wherein:

the battery module further comprises a charge indicator actuator.

Claim 9. (Original) The attachment apparatus of claim 6 wherein:

the battery pack further comprises:

a cantilever arm coupled to the battery module opposite the battery compartment;

and

a depression in the battery module opposite the battery compartment and adjacent to the cantilever arm; and

the cantilever arm comprises a locking tab.

Claim 10. (Original) The attachment apparatus of claim 6 wherein:

the cover comprises a first portion;

the first portion covers the charge indicator when the cover is attached to the battery module; and

the charge indicator is visible through the first portion.

Claim 11. (Original) The attachment apparatus of claim 6 wherein:

the cover further comprises:

an extension arm; and

the battery pack further comprises:

a hole for receiving at least a portion of the extension arm and securing the cover to the battery pack.

Claim 12. (Currently Amended) A battery pack for attachment to an electronic device, the battery pack comprising:

a battery module;

a cover removably coupled to the battery module;

a cradle coupled to the battery module; and

a suction cup removably coupled to the ~~eradle~~-cradle.

wherein:

the suction cup comprises:

a suction pad;

a release tab located at an edge of the suction pad; and

a knob attached to the suction pad; and

the knob comprises:

a primary portion having a depression therein and extending through the hole; and

a secondary portion extending from the primary portion.

Claim 13. (Original) The battery pack of claim 12 wherein:

the battery module comprises:

a battery compartment;

an on/off switch; and

a charge indicator; and

the cover encloses the battery compartment.

Claim 14. (Original) The battery pack of claim 13 wherein:

the battery module further comprises a charge indicator actuator adjacent to the battery compartment.

Claim 15. (Original) The battery pack of claim 12 wherein:

the cover further comprises:

an extension arm; and

the battery pack further comprises:

a hole for receiving at least a portion of the extension arm and securing the cover to the battery pack.

Claim 16. (Original) The battery pack of claim 12 wherein:

the cradle comprises:

a major surface;

a pad protruding from the major surface in a first direction;

a first sidewall coupled to the major surface and extending in the first direction;

a second sidewall coupled to the major surface opposite the first sidewall and extending in the first direction; and

a hole in the major surface; and

the suction cup is removably coupled to the cradle through the hole.

Claim 17. (Original) The battery pack of claim 16 wherein:

the hole comprises:

a primary opening; and

a secondary opening coupled to the primary opening.

Claim 18. (Canceled)

Claim 19. (Original) The battery pack of claim 13 wherein:

the battery pack further comprises:

a cantilever arm coupled to the battery module opposite the battery compartment;

and

a depression in the battery module opposite the battery compartment and adjacent to the cantilever arm; and

the cantilever arm comprises a locking tab.

Claim 20. (Original) The battery pack of claim 19 wherein:

- the cover comprises a first portion;
- the first portion covers the charge indicator when the cover is attached to the battery module; and
- the charge indicator is visible through the first portion.

Claim 21. (Currently Amended) An attachment apparatus for attaching a battery pack to an electronic device, the attachment apparatus comprising:

a cradle comprising:

- a major surface;
 - a first sidewall coupled to the major surface;
 - a second sidewall coupled to the major surface opposite the first sidewall; and
 - a hole in the major surface; and
- a suction cup removably attached to the cradle at the hole;

wherein:

the battery pack comprises:

a battery module comprising:

- a battery compartment;
 - an on/off switch;
 - a charge indicator; and
 - a charge indicator actuator;
- a cable coupled to the battery module; and

a cover enclosing the battery compartment removably attached to the battery ~~module~~; module; and

the suction cup comprises:

a suction pad; and

a knob attached to the suction pad; and

the knob comprises:

a primary portion; and

a secondary portion extending from the primary portion.

Claim 22. (Original) The attachment apparatus of claim 21 wherein:

the battery pack further comprises:

a cantilever arm attached to the battery module opposite the battery compartment;

and

a depression in the battery module opposite the battery compartment and adjacent to the cantilever arm; and

the cantilever arm comprises a locking tab.

Claim 23. (Currently Amended) The attachment apparatus of claim 21 wherein:

the suction cup comprises:

~~a suction pad;~~

a vacuum release tab located at an edge of the suction pad; and

~~a knob attached to the suction pad; and~~

~~the knob comprises:~~

~~a primary the primary portion having of the knob has a depression ~~therein; and~~~~
~~therein.~~

~~a secondary portion extending from the primary portion.~~

Claim 24. (Original) The attachment apparatus of claim 21 wherein:

the cover comprises a thick portion and a thin portion;

the thin portion covers the charge indicator when the cover is attached to the battery module; and

the charge indicator is visible through the thin portion.

Claim 25. (Original) The attachment apparatus of claim 21 wherein:

the hole comprises:

a primary opening; and

a secondary opening communicating with the primary opening.

Claim 26. (Original) The attachment apparatus of claim 21 wherein:

the cover further comprises:

an extension arm; and

the battery pack further comprises:

a hole for receiving at least a portion of the extension arm and securing the cover to the battery pack.